Paperboard



Single-faced, corrugated paperboard is used for inner packing and outer wrapping of parcel post shipments and packages. It protects against breakage, abrasion, tearing, dirt, dust and foreign matter.

Heavy-duty wrapping has a flexible inner cushion that ensures maximum resiliency and easy folding. Has a strong outer kraft covering, and a backing sheet is required.

80% Postconsumer Material

8135 00 281 3920	24" wide	RA (contains 250 FT) \$2	25.66
8135 00 242 5610	36" wide	RO (contains 250 FT) 💲	33.97
8135-00-290-3400	48" wide	RA (contains 250 FT) \$4	15.67

Light-duty wrapping is flexible in all directions.

80% Postconsumer Material

Plastic Wrap

8135 00 855 3387

Wrap it up in this flexible vinyl plastic film for general packaging in temperatures from 0 to 130 deg.F. Waterproof and heat sealable.

8135-00-282-5635	Clear	48" wide, 0.004" thick	RO (contains 50 YD) \$90.98
8135-00-050-7698	Clear	54" wide, 0.020" thick	RO (contains 50 YD) \$302.68

Normal impact-strength polyethylene plastic film is for general-purpose packaging. It protects items from dust and is highly water resistant and moderately vapor resistant; low-slip type.

Not for use in contact with food

8135-00-584-0610			8' wide, 0.004" thick nominally	RO (contains 100 FT)	\$15.97
8135-00-584-0619			8' 4" wide, 0.002" thick nominally	RO (contains 200 FT)	\$17.37
8135-00-579-6491	JWOD	Black	10" wide, 0.006" thick nominally	RO (contains 100 FT)	\$25.71
8135-00-579-6489			12' wide, 0.006" thick nominally	RO (contains 100 FT)	\$35.81
8135-00-618-1783			16' wide, 0.006" thick nominally	RO (contains 100 FT)	\$42.32
8135-00-579-6487		Black	20' wide, 0.006" thick nominally	RO (contains 100 FT)	\$57.90
Can be used also	for wra	oping f	ood.		

10' wide, 0.004"

thick nominally

RO (contains 100 FT) \$18.84

Stretch Wrap Film

Machine wrap for the Mobilrap Pro80 is 80 gauge and is suitable for protecting large shipments, boxes or packages. Comes 6000' to the roll.

8135-01-386-2322 Clear 20" wide R0 (contains 6000 FT) **\$40.11**

Tissue Paper

Use this tissue paper as an initial wrap to protect items from breaking, scratching and dust during shipment or storage. Bleached, 100% chemical wood pulp.

Paper will not prevent tarnishing

5% Postconsumer Material

8135-00-242-7303 20 x 30" RM **\$7.51**

SHIPPING BOXES AND CONTAINERS

Banker Storage/Filing Box

Storage box is secured by a flap, string and button enclosure. Some assembly is required.

7520 01 316 2158	12 x 10 x 24"	3D	\$48.30
7520 01 316 2159	15 x 10 x 24"	3D	\$38.78

Collapsible box has a lift-off lid with a large label area. Made of corrugated board.

Cassette Mailer

8105-01-386-2189

Fiberboard or paperboard cassette mailer is preprinted with "FROM" and "TO" followed by three blank lines to make addressing easier.

Designed to accommodate an audio cassette with plastic case

Designed to accommodate a VHS video cassette tape and its paperboard


4-1/2 x 2-3/4 x 1-3/4" PG (contains 25 EA)

sleeve.

8105-01-386-2181 8-1/4 x 6-1/4 x 1-3/4" PG (contains 25 EA) **\$12.34**

What's Best Value?
"We think best value is a combination of service, quality and price, and that's how we define the Customer Supply Center program."

MAILING AND PACKING SUPPLIES



Corrugated, fiberboard shipping box has overlapped, glued joints or butted, taped joints. Box is folded flat. Dimensions shown are inside dimensions in order of length, width and depth.

Single-walled box is not weather resistant; falls into the domestic service class.

Regular-slotted box has a bursting strength of 125 psi. With four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 20 lb.

40% Postconsumer Material

8115-00-179-0566	6 x 6 x 10"	BD (contains 25 EA)	\$6.97
8115-00-179-0568	8 x 8 x 8"	BD (contains 25 EA)	\$9.86

Regular-slotted box has a bursting strength of 200 psi. With four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 65 lb.

40% Postconsumer Material

7-1/2 x 7 x 3-3/8"	BD (contains 25 EA)	\$10.75
8 x 4 x 4"	BD (contains 25 EA)	\$5.72
10 x 6 x 8"	BD (contains 25 EA)	\$9.49
11 x 11 x 6-1/2"	BD (contains 25 EA)	\$19.64
11-1/4 x 8-3/4 x 2"	BD (contains 25 EA)	\$10.08
11-1/4 x 8-3/4 x 4"	BD (contains 25 EA)	\$11.11
12 x 10 x 8"	BD (contains 25 EA)	\$14.72
12 x 12 x 12"	BD (contains 25 EA)	\$19.57
14 x 14 x 8"	BD (contains 25 EA)	\$21.92
15 x 15 x 28"	BD (contains 15 EA)	\$23.96
18 x 15 x 5-1/2"	BD (contains 25 EA)	\$22.07
18 x 18 x 18"	BD (contains 15 EA)	\$25.61
25 x 20 x 5"	BD (contains 15 EA)	\$28.06
	8 x 4 x 4" 10 x 6 x 8" 11 x 11 x 6 1/2" 11 · 1/4 x 8 · 3/4 x 2" 11 · 1/4 x 8 · 3/4 x 4" 12 x 10 x 8" 12 x 12 x 12" 14 x 14 x 8" 15 x 15 x 28" 18 x 15 x 5 · 1/2" 18 x 18 x 18"	8 x 4 x 4" BD (contains 25 EA) 10 x 6 x 8" BD (contains 25 EA) 11 x 11 x 6-1/2" BD (contains 25 EA) 11 · 1/4 x 8-3/4 x 2" BD (contains 25 EA) 11 · 1/4 x 8-3/4 x 4" BD (contains 25 EA) 12 x 10 x 8" BD (contains 25 EA) 12 x 12 x 12" BD (contains 25 EA) 14 x 14 x 8" BD (contains 25 EA) 15 x 15 x 28" BD (contains 15 EA) 18 x 18 x 18" BD (contains 15 EA)

Single-walled weather-resistant box

Regular-slotted box has a bursting strength of 275 psi. With four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 95 lb.

40% Postconsumer Material

8115-00-183-9498	J WOD	8 x 8 x 8"	BD (contains 25 EA)	\$22.37
8115 01 012 5003		11 1/4 x 8 3/4 x 4"	BD (contains 25 EA)	\$15.07
8115-01-011-3619		11-1/4 x 8-3/4 x 12"	BD (contains 25 EA)	\$25.36
8115 01 011 3628		12 x 9 x 4"	BD (contains 25 EA)	\$15.97

Single-walled box is not weather resistant; falls into the domestic service class.

Regular-slotted box has a bursting strength of 275 psi. With four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 95 lb.

40% Postconsumer Material

8115-01-011-3628	8 x 8 x 18"	BD (contains 25 EA)	\$21.04

To submit an order by mail, please send it to GSA Customer Supply Center National Processing Center 8400 Tatum Road Palmetto, GA 30268

What is UNICOR?

UNICOR is the trade name for Federal Prison Industries Inc. (FPD, a wholly owned government corporation established in 1934 as part of the Federal Prison System. UNICOR provides a variety of products and services to the federal government at fair market prices.

Single-walled box is not weather resistant; falls into the domestic service class

Regular-slotted box has a bursting strength of 275 psi. With four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 95 lb.

40 % Postconsumer Material

8115-00-079-8677	12 x 9 x 6"	BD (contains 25 E A)	\$15.61
8115-00-079-8679	12 x 12 x 4"	BD (contains 25 E A)	\$16.87
8115-00-079-8680	12 x 12 x 12"	BD (contains 25 E A)	\$28.01
8115-00-079-8681	14 x 12 x 6"	BD (contains 25 E A)	\$20.68
8115-00-079-8682	14 x 14 x 10"	BD (contains 15 EA)	\$19.13
8115 00 179 0578	16 x 10 x 8"	BD (contains 25 E A)	\$24.26
8115 00 079 8697	16-1/2 x 12 x 10"	BD (contains 25 E A)	\$28.24
8115 00 079 8745	16 x 16 x 16"	BD (contains 15 EA)	\$29.36
8115 00 782 3936	17 x 13-1/2 x 12"	BD (contains 25 E A)	\$40.21
8115 00 179 0579	18 x 12 x 10"	BD (contains 25 EA)	\$32.85
8115 00 179 0580	18 x 14 x 18"	BD (contains 25 E A)	\$46.15
8115.00.079.8788	18 x 15 x 11"	BD (contains 15 EA)	\$21.29

Single-walled weather-resistant box

Regular-slotted box has a bursting strength of 275 psi. With four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 95 lb.

40 % Postconsumer Material

Single-walled box is not weather resistant; falls into the domestic service class.

Regular-slotted box has a bursting strength of 275 psi. With four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 95 lb.

40 % Postconsumer Material

8115 00 079 8823	20 x 20 x 20"	BD (contains 15 EA)	\$43.52
8115 00 079 8825	24 x 12-1/2 x 10"	BD (contains 15 EA)	\$22.05
8115-00-179-0547	24 x 12 x 24"	BD (contains 15 EA)	\$34.96
8115 00 079 8989	32 x 15 x 15"	BD (contains 15 EA)	\$40.82

Special full-flap, slotted box has a bursting strength of 350 psi. Outer flaps overlap the full length of the box; inner flaps meet in the center. Style SFF. Maximum weight of box and contents is 120 lb.

30% Postconsumer Material

Single-walled weather-resistant box.

Regular-slotted box has a bursting strength of 400 psi. With four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 140 lb.

30% Postconsumer Material

8115-00-190-4969	J WOD	11-1/4 x 8-3/4 x 18"	BD (contains 15 EA)	\$35.86
8115-00-229-9340	J WOD	12 x 12 x 6"	BD (contains 25 EA)	\$45.02
8115-00-417-9378	J WOD	12 x 12 x 8"	BD (contains 25 EA)	\$49.68
8115-00-176-8062	J WOD	12 x 10 x 10"	BD (contains 25 EA)	\$42.86
8115 00 183 9491	J WOD	12 x 12 x 12"	BD (contains 25 EA)	\$53.55
8115-00-418-4653	J WOD	12 x 12 x 16"	BD (contains 25 EA)	\$58.37
8115 00 183 9489	J WOD	14 x 14 x 12"	BD (contains 25 EA)	\$63.83
8115-00-417-9320	J WOD	14 x 14 x 18"	BD (contains 25 EA)	\$76.21
8115-00-417-9318	J WOD	15 x 15 x 10"	BD (contains 25 EA)	\$64.85
8115 00 183 9487	J WOD	16 x 12 x 8"	BD (contains 25 EA)	\$49.99
8115 00 183 9484	J WOD	16 x 14 x 12"	BD (contains 25 EA)	\$66.98
8115 00 451 7853	J WOD	16 x 16 x 12"	BD (contains 25 EA)	\$74.20
8115-00-190-5002	J WOD	16 x 16 x 16"	BD (contains 25 EA)	\$82.96
8115 00 428 4185	J WOD	18 x 18 x 18"	BD (contains 15 EA)	\$63.61
8115 00 275 5777	J WOD	20 x 16 x 16"	BD (contains 15 EA)	\$59.09
8115-00-428-4183	J WOD	20 x 20 x 12"	BD (contains 15 EA)	\$62.14
8115 00 428 4158	J WOD	20 x 20 x 20"	BD (contains 10 EA)	\$57.40
8115 00 417 9236	J WOD	24 x 20 x 16"	BD (contains 15 EA)	\$78.86

Shipping Box

Corrugated, fiberboard shipping box has overlapped, glued joints or butted, taped joints. Box is folded flat. Dimensions shown are inside dimensions in order of length, width and depth. Regular-slotted box has a bursting strength of 400 psi. With four flaps on top and on bottom; outer flaps meet when closed. Style RSC.

Single-walled weather-resistant box

30% Postconsumer Material

8115 00 417 9416	(contains 3 EA)	\$31.86
-------------------------	-----------------	---------

Corrugated Box

Corrugated, fiberboard shipping box has overlapped, glued joints or butted, taped joints. Box is folded flat. Dimensions shown are inside dimensions in order of length, width and depth.

Single-walled weather-resistant box.

Regular-slotted box has a bursting strength of 400 psi. With four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 140 lb.

30% Postconsumer Material

8115 00 579 9155	J WOD	25 x 21 x 15-1/4"	BD (contains 10 EA)	\$57.24
8115 00 579 9156	J WOD	29-1/2 x 19-1/2 x 19-1/4"	BD (contains 10 EA)	\$65.70
8115-00-190-5018	J WOD	30 x 17 x 12"	BD (contains 10 EA)	\$47.36
8115 00 190 5020	J WOD	36 x 14 x 14"	BD (contains 10 EA)	\$49.52
8115 01 015 2710		48 x 12 x 12"	EA	\$6.16

For use as an exterior overseas shipping container, this corrugated, fiberboard box with single-wall construction is weather resistant. Comes folded flat.

Center, special-slotted box has a bursting strength of 400 psi. Style CSSC. Maximum weight of box and contents is 140 lb.

30 % Postconsumer Material

8115 00 190 5015	J WOD	26 x 26 x 18"	BD (contains 7 EA)	\$50.35
------------------	-------	---------------	--------------------	---------

MAILING AND PACKING SUPPLIES

Use this weather-resistant corrugated fiberboard box for shipping or storage under extreme weather conditions and high humidity. Features include triple-wall construction and high-stacking strength. With a minimum puncture of 1100 in-oz per inch. Maximum weight of box and contents is 280 lb.

Regular-slotted box. Style RSC

30% Postconsumer Material

8115 00 579 8407	23 x 23 x 23"	BD (contains 3 EA)	\$38.57
8115-00-616-9147	27 x 19 x 14·3/4"	BD (contains 4 EA)	\$41.65
8115-00-993-2791	30 x 30 x 30"	BD (contains 3 EA)	\$70.43
8115-00-559-9998	43 x 22 x 34"	BD (contains 2 EA)	\$47.11
8115 00 774 6562	48 x 40 x 36"	EA	\$27.86
8115-00-935-5905	57 x 31-3/4 x 35-1/4"	EA	\$40.63
8115 00 935 6510	58 x 43 x 35-1/4"	EA	\$46.46

Half-regular-slotted box has short top flaps and a cover

30% Postconsumer Material

8115 00 782 1695	48 x 40 x 28 1/4"	EA	\$34.56
------------------	-------------------	----	---------

Half-regular-slotted box has short top flaps and a cover. Side of box reads: "REUSABLE CONTAINER RETURN TO:."

30% Postconsumer Material

8115·00·935·1140 48 x 40 x 36" EA **\$36.16**

Do you know what a CA, DR or RM is? A key to these and other unit of issue codes can be found on page 7.

Use this corrugated, fiberboard box for domestic and overseas consolidated shipment of aircraft parts, general supplies and equipment. Weather-resistant box comes knocked down. Maximum weight of box and contents is 280 lb.

Features triple-wall construction.

Half-slotted box comes with a cover (transporter).

30% Postconsumer Material

Corrugated, fiberboard box features double-wall construction and high strength. It is weather resistant and comes folded flat.

Half-slotted box. Style HSC. Maximum weight of box and contents is 260 lb.

30% Postconsumer Material

8115 00 926 4897 46 7/8 x 38 7/8 x 42" EA **\$16.77**

Weather-resistant, corrugated, fiberboard box is designed for use as an exterior shipping container or as an insert in cargo transporters such as CONEX, SEAVAN or MILVAN. Does not include pallets.

Features triple-wall construction and is half slotted. Maximum weight of box and contents is 280 lb.

30% Postconsumer Material

8115 00 753 4691	57 x 31.1/2 x 28.1/4"	FΔ \$24.05



Corrugated box is white on the outside with a printed copy of the recycled logo. Larger flaps include printed sections, each four lines, for addressing your package (i.e., FROM/TO). Fiberboard container has a bursting strength of 200 psi.

8115-01-357-9996	8 x 8 x 8"	BD (contains 15 EA)	\$6.30
40% Postconsumer Mate	erial		
8115-01-357-9997	15 x 12 x 10"	BD (contains 15 EA)	\$12.19
8115 01 357 9995	18 x 12-1/2 x 3"	BD (contains 15 EA)	\$11.12
8115-01-364-9492	20 x 14 x 10"	BD (contains 15 EA)	\$16.32

Fiberboard Box

For preserving, handling, shipping and storing serviceable and repairable items, this corrugated, weather-resistant, fiberboard box with cushioning is reusable.

Telescoping encapsulated packs accommodate black-box type items such as receiver-transmitters, amplifiers, power supply units and electronic indicators. Full-telescope style. Maximum weight of box and contents is 140 lb.

30% Postconsumer Material

8115 00 516 0251	J WOD	20 x 14 x 9"	EA \$17.87
8115 00 550 3574		25 x 14 x 14"	EA \$37.06
8115-01-015-1313		26 x 9 x 9"	EA \$16.65
8115-00-516-0242		30 x 16 x 14"	EA \$36.74
8115 01 015 1314		34 x 24 x 18"	EA \$76.59

Folded, convoluted pack accommodates generally flatitems such as circuit boards, electronic modules and tubes. Modified triple slide style. Maximum weight of box and contents is 95 lb.

40% Postconsumer Material

8115 00 101 7647	J WOD	9 x 6 x 2-1/2"	EA	\$3.62
8115-00-101-7638	J WOD	9 x 6 x 3 1/2"	EA	\$3.62
8115-00-787-2146		12 x 8 x 2-1/2"	EA	\$5.15
8115 00 787 2148		12 x 8 x 3-1/2"	EA	\$5.62
8115 01 057 1243		13 x 13 x 3-1/2"	EA	\$9.36

Magnetic Tape Box

This two-piece box storing and shipping instrumentation magnetic tape reels only. It is not suitable for computer magnetic tapes. It has an individual corrugated folder insert that slides into box.

For one 1"-wide by 10-1/2"-diameter reel

11 x 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8115 00 432 6729	J WOD	11 x 1 3/4 x 11 3/16"	EΑ	\$1.49
--	------------------	-------	-----------------------	----	--------

Buy Smart Pay Smart With GSA

Special-Use Box



Corrugated, fiberboard box has lapped joints secured by wire stitching. This box meets National Archives and Records Service standards.

Use exclusively for retiring, storing and shipping noncurrent paper and magnetic tape records to the Federal Archives and Records Center.

Lock-bottom box has hand holes and a bursting strength of 275 psi. Maximum weight of box and contents is 95 lb.

8115-00-117-8347		White exterior	14 3/4 x 11 3/4 x 11 3/4"	BD (contains 25 EA)	\$89.42
8115-00-117-8249	J WOD	White exterior	14-3/4 x 12 x 9-1/2"	BD (contains 25 EA)	\$52.18



Regular-slotted box has a bursting strength of 200 psi. Maximum weight of box and contents is $65\,\mathrm{lb}.$

40% Postconsumer Material

8115-00-117-8338 Tan exterior 14-3/4 x 9-1/2 x 4-7/8" BD (contains 25 EA) **\$20.57**

Storage Box

Perfect for shipping or storage. Consists of four nested sturdy ply wood boxes with sealed, moisture-resistant joints and edges. Each box has two handles and can hold up to 150 lb of military or other equipment. Boxes measure $30-3/4 \times 16-1/4 \times 14-3/8$ "; $32-3/4 \times 17-3/4 \times 15-1/2$ "; $34-3/4 \times 19-1/4 \times 16-5/8$ "; and $36-3/4 \times 20-3/4 \times 17-3/4$ " on the outside.

8115-00-290-6016 Green SE **\$494.21**

Shipping Box



Plywood box comes knocked down and requires assembly. Includes cleats. Outside dimensions provided.

Your suggestions are important! Please use the Comment Card at the back of the catalog.



Single-walled corrugated shipping box is made of fiberboard. Domestic class.

8115 01 386 2285		6 x6 x 6"	BD (contains 15 EA)	\$5.85
8115 01 381 8056		7 x 5 x 6"	BD (contains 15 EA)	\$5.83
8115 01 381 6539		11 x 8 x 6"	BD (contains 15 EA)	\$5.96
8115 01 386 2284	White	12 x 12 x 12"	BD (contains 15 EA)	\$18.05
8115 01 386 2280		14 x 10 x 8"	BD (contains 15 EA)	\$11.23
8115 01 386 2248	White	16 x 16 x 16"	BD (contains 15 EA)	\$18.68
8115 01 381 6537	White	17 x 14.5 x 6"	BD (contains 15 EA)	\$20.32
8115-01-386-2244		18 x 12 x 12"	BD (contains 15 EA)	\$22.00
8115 01 386 2238	White	20 x 20 x 20"	BD (contains 15 EA)	\$31.60
8115 01 386 2235	White	24 x 16 x 13"	BD (contains 15 EA)	\$34.22
8115 01 381 6536	White	26 x 24 x 6"	BD (contains 15 EA)	\$27.48
8115-01-386-2178		30-1/2 x 18-1/2 x 18-1/2"	BD (contains 15 EA)	\$52.60
8115 01 381 6533		40 x 28 x 6"	BD (contains 15 EA)	\$48.67

MAILING AND PACKING SUPPLIES

CD Mailer

Accomodates single CD.

8105·01·450·2923 EA \$0.50

Disk Mailer



Don't mail your disks anywhere without ensuring their protection first. These fiberboard or paperboard mailers with static protective lining are preprinted with warnings against bending, moisture and magnetic fields and with "FROM" and "TO" followed by three blank lines to make addressing easier. Adhesive closure

For 3-1/2" disks. Stores one to five disks.

8105-01-317-2448	PG (contains 25 EA)	\$11.70
For 3-1/2" floppy disks. Holds up to three disks.		
8115-01-381-6523	BX (contains 25 EA)	\$10.71
For 5-1/4" disks. Holds up to four disks.		
8105-01-363-0405	PG (contains 25 EA)	\$17.16
8105-01-386-2202	PG (contains 25 EA)	\$7.58

Heavy-duty, antistatic mailer has an adhesive closure. Stores three to five disks. Holds 8" disks.

8105-01-363-2808 PG (contains 25 EA) **\$43.09**

We want your comments and suggestions.

Please fill out and return the Comment Card
at the back of the catalog.

Mailing Bag



Designed specifically for mailing small, unbreakable articles such as parts, bolts, nuts and screws. Made of unbleached cotton sheeting, bag opens and closes at the end with a drawstring. Includes a white, cloth-lined paper address tag.

8105-00-183-6981	J WOD	Natural	3 x 4"	BD (contains 100 EA)	\$25.93
8105 00 281 3924	J WOD	Natural	3 x 5"	BD (contains 100 EA)	\$27.76
8105 00 179 0089	J WOD	Natural	4·1/2 x 8"	BD (contains 100 EA)	\$37.67
8105 00 183 6982	J WOD	Natural	4 x 9"	BD (contains 100 EA)	\$37.44
8105-00-183-6985	J WOD	Natural	5-1/2 x 14"	BD (contains 50 EA)	\$25.97
8105-00-271-1511	J WOD	Natural	6 x 9"	BD (contains 100 EA)	\$43.62
8105 00 183 6989	J WOD	Natural	7-1/2 x 18"	BD (contains 50 EA)	\$35.32
8105 00 290 3360	J WOD	Natural	8 x 10"	BD (contains 50 EA)	\$27.42

Mailing Tube



Wound, untreated chipboard mailing tube is used for shipment and storage of maps, blueprints or drawings.

Tube has tight-fitting, slip-over telescoping covers with metal ends and spiral wound construction.

80% Postconsumer Material

0440 00 044 7405	LWOD	04 011 11 4	ГА	44.50
8110 00 244 7435	J WOD	24 x 2" diameter	EA	\$1.53
8110-00-298-2046	J WOD	30 x 5-3/8" diameter	EA	\$8.23
8110 00 291 0345	J WOD	36 x 2" diameter	BX (contains 10 EA)	\$20.95
8110-00-271-1508	J WOD	39 x 4" diameter	EA	\$4.54
8110 00 725 1471	J WOD	40 x 6" diameter	EA	\$8.53
8110 00 291 0347	J WOD	42 x 3" diameter	EA	\$3.35
8110-00-271-1509	J WOD	43 x 4" diameter	EA	\$4.18

Square-shaped tube contains flaps at both ends to close by means of a tuck with glue joints. Recycled logo and return address box are printed on the tube.

40% Postconsumer Material

8110-01-386-2192	3 x 3 x 24·1/4" (inside dimensions)	BX (contains 15 EA)	\$10.21
8110 01 386 2214	3 x 3 x 36-1/4" (inside dimensions)	BX (contains 15 EA)	\$11.51

Photo Mailer

Protects photographs when mailing. Accommodates photos up to 8-1/2 x 11.

8105 01 434 3492 9-3/4 x 12"

Shipping Bag



Water-resistant shipping bag is used for packaging items weighing up to 10 lb. It protects publications, small parts and many other articles during mailing and handling. Made of double-walled kraft, it has a flat bottom and opens on one short side. Bags are preprinted with "FROM" and "TO" and followed by 3 lines to facilitate addressing.

Cushioned envelope has closed-cell plastic bubble film liner and a self-stick, adhesive-coated sealing flap. Envelope is lightweight. Size and minimum inside dimensions shown.

Load capacity is 13 oz (360g).


8105-00-117-9860	Size 0, 5-3/4 x 8-1/4"	PG (contains 500 EA)	\$48.68
Load capacity is 1.4 lb (63	35g).		
5% Postconsumer Materia	ıl		
8105-00-117-9866	Size 1, 7 x 10"	PG (contains 500 EA)	\$60.42
Load capacity is 2 lb (900	a)		
5% Postconsumer Materia	•		
8105-00-117-9869	Size 2, 8-1/4 x 10"	PG (contains 250 EA)	\$34.38
Load capacity is 2.4 lb (1.	1kg		
5% Postconsumer Materia	=		
8105-00-117-9870	Size 3, 8-1/4 x 12-1/4"	PG (contains 250 EA)	\$40.10
0100 00 117 0070	0120 0, 0 1,11 1 12 1,11	T d (contains 200 ET)	710110
Load capacity is 3 lb (1.4k	(g).		
5% Postconsumer Materia	il		
8105-00-117-9872	Size 4, 9-1/4 x 12-1/4"	PG (contains 250 EA)	\$42.87
Load capacity is 4.2 lb (1.	9ka)		
5% Postconsumer Materia	-		
8105-00-117-9879	Size 5, 10-1/4 x 13-3/4"	PG (contains 250 E A)	\$52.33
Lond connectivity 7 2 lb /2	26.0		
Load capacity is 7.2 lb (3. 5% Postconsumer Materia	-		
		DO (A07.00
8105-00-117-9881	Size 6, 12-1/4 x 16-3/4"	PG (contains 100 EA)	\$27.82
Load capacity is 10 lb (4.5	5kg).		
5% Postconsumer Materia	ıl		
	Size 7, 14 x 17-3/4"	PG (contains 100 EA)	

As a valued GSA customer, your comments are important to us! Please fill out and return the Comment Card at the back of the catalog.

Uncushioned envelope is reinforced with glass fiber. It is lightweight, durable and puncture and tear resistant. Fold-over end flap may be glued, taped or stapled.

5% Postconsumer Material

8105 00 145 0443	9-1/2 x 14-1/2"	BX (contains 500 EA)	\$55.70
8105 00 145 0444	10-1/2 x 16"	BX (contains 500 EA)	\$65.68
8105-00-145-0446	14·1/4 x 20"	BX (contains 250 EA)	\$51.02



Cushioned envelope has a padding of macerated paper. Opening can be

glued, stapled or					
5% Postconsum	ner Mate	rial			
8105-00-498-6619			4 x 8"	PG (contains 500 EA)	\$41.31
8105-00-290-0342			7-1/4 x 12"	HD	\$14.64
0′ 1′ 0					
Size No. O.					
5% Postconsum	ner Mate	rial			
8105-00-290-0340			6 x 10"	BX (contains 250 EA)	\$33.56
Size No. 2.					
5% Postconsum	ner Mate	rial			
8105-00-290-0343			8-1/2 x 12"	HD	\$15.96
Size No. 4.					
5% Postconsum	ner Mate	rial			
8105-00-281-1168			9-1/2 x 14-1/2"	HD	\$18.31
Size No. 5.					
5% Postconsum	oer Mate	rial			
	ici iviate	ııaı			
8105 00 281 1436			10 1/4 x 16"	HD	\$23.66
Size No. 6.					
5% Postconsum	ner Mate	rial			
8105 00 281 1167			12·1/2 x 19"	BX (contains 50 EA)	\$20.23
111111111111111111111111111111111111111			, 10	2,	
Size No. 7.					
5% Postconsum	ner Mate	rial			
8105-00-281-1169			14-1/4 x 20"	BX (contains 50 EA)	\$20.00

We're open 7:30 am to 8:00 pm Eastern time to take your order by phone.



Cushioned paper shipping sacks are made of kraft paper, are waterproof and feature a pressure-seal adhesive flap closure that is protected by a liner.

Sacks are preprinted with "FROM" and "TO" and followed by three lines to facilitate addressing. Each sack includes the recycled logo printed on the back, as well as bar coding.

8105 01 385 7246	Brown	6 x 10"	PG (contains 50 EA)	\$8.57
8105 01 386 2209	Brown	6 x 10"	PG (contains 250 EA)	\$36.24
8105 01 386 2217	Brown	8-1/2 x 12"	PG (contains 50 EA)	\$10.63
8105 01 385 7396	Brown	8-1/2 x 12"	PG (contains 100 EA)	\$17.25
8105 01 385 7584	Brown	10-1/2 x 16"	PG (contains 50 EA)	\$17.09

SPECIALTY SHIPPING

Fire Equipment Repack Box

For repacking the Backpack Pump Outfit 4320-00-289-8912. Style RSC.

For packing six Backpack Pump Outfits. Has a bursting strength of 275 psi 40% Postconsumer Material

8115 00 079 8879	24 x 17 x 13"	BD (contains 15 EA)	\$27.23

Fuel Sample Shipping Kit

Durable, reusable kit is designed for the shipment of aviation fuel samples. Kit contains four capped bottles with tags (32 oz each), cushioning material, shipping container and tamperproof seal.

8115·00·719·4111 EA \$90.38

Plastic Film Heat Sealer

Lightweight, portable, hand-operated rotary heat sealer has grooved sealing rollers. Use for making grooved seals or for sealing overlaps and splices in barrier material. Has two 150w preheater bars measuring 1" wide and 8-1/2" long. Sealing rolls are 1-1/2" diameter, with a 1" face. One roller has a spring-loaded dial thermostat for regulating temperatures. Temperature range is approximately 250 to 550° F. Operates on 110v AC, 60-cycle, single-phase power. A-A-2963.

3540.00.975.4255 EA \$641.06

Bench model is for use on barrier material. Continuous, rotary-type sealer has smooth rollers, a heat indicator and thermostatic control. With a 500 deg.F sealing range. Operates on 110v AC, 60-cycle, single-phase power. A-A-2963.

3540-00-819-8837 EA \$1709.25

Shrink Tunnel Pallet Bag

Heat-shrinkable polyethylene bag is for use in shrink tunnels to secure loads on pallets. Furnished on a perforated, tear-off roll for 40 x 48" pallets.

For heavy-duty use.

8105-00-191-3902 Clear 50 x 42 x 65" RO (contains 32 EA) **\$76.34**

TAPE

Packaging Tape



Woven cloth, high-strength tape is for sealing containers. It can be used in all temperatures and is waterproof. Has a 3" core.

1" wide

7510 00 074 4960	J WOD	Black	RO (contains 60 YD)	\$3.76
7510-00-074-5122	J WOD	Dark Green	RO (contains 60 YD)	\$3.76
7510.00.890.9872	J WOD	Olive Drab	RO (contains 60 YD)	\$3.76



2" wide

7510 00 074 4961	J WOD	Black	RO (contains 60 YD)	\$7.56
7510 00 074 4952	J WOD	White	RO (contains 60 YD)	\$7.56
7510 00 074 4969	J WOD	Red	RO (contains 60 YD)	\$7.56
7510 00 074 5124	J WOD	Dark Green	RO (contains 60 YD)	\$7.56
7510 00 266 5016	J WOD	Olive Drab	RO (contains 60 YD)	\$7.56